

APPENDIX D

PHASE 1 SITE ASSESSMENT REPORT

PHASE I SITE ASSESSMENT REPORT

CONTENTS

EXECUTIVE SUMMARY	1
I. INTRODUCTION	3
II. DESCRIPTION OF THE SITE AND ITS OPERATIONS	6
A. Site Description.....	6
B. Site History	11
C. Description of Operations	12
D. Polychlorinated Biphenyls (PCBs), Asbestos and Lead-Based Paint	15
PCBs.....	15
Asbestos.....	15
Lead-Based Paint	16
E. Hazardous Materials Use and Storage	17
Hazardous Materials Use	17
Underground Storage Tanks	17
Aboveground Storage Tanks.....	17
Drums and Small Containers	18
F. Non-hazardous and Hazardous Waste	18
Non-hazardous Waste	18
Hazardous Waste	18
G. Wastewater.....	18
Sanitary Wastewater.....	18
Former Evaporation Bed.....	20
Storm Water.....	23
H. On-site Soil and Ground Water Contamination, Investigation and Remediation.	23

TABLES

Table 1	Description of Buildings at BAREC	8
Table 2	Hazardous Waste	19
Table 3	Summary of Soil Chemical Test Results – July 1987 Soil Samples	23
Table 4	Summary of Soil Chemical Test Results – October 1987 Soil Samples	24

FIGURES

Figure 1	Site Location Map	7
Figure 2	Site Layout.....	9

APPENDICES

Appendix A	EDR Report
Appendix B	Chemicals Stored (1997 to Present)
Appendix C	Pesticide Use Summary

EXECUTIVE SUMMARY

ENVIRON International Corporation ("ENVIRON") conducted an environmental review of the University of California Bay Area Research & Extension Center (BAREC), located at 90 North Winchester Boulevard, Santa Clara County, City of Santa Clara, California (the Site). The purpose of the review was to identify areas of potential environmental concern at the Site and to formulate recommendations for additional investigation and/or remediation. In the context of our review, potential environmental concerns are considered to be issues that are likely to be present significant risks to a future onsite residential population or issues for which there is likely insufficient information to characterize the Site. It is ENVIRON's understanding that this parcel will be redeveloped for residential and open space use.

Based on our review, ENVIRON identified the following potentially significant environmental concern at the Site:

- Since the 1920s, the Site has been used as an agricultural research station. The primary research efforts at the Site have focused on improving crop production methods, irrigation systems, nutrition and variety characteristics of crops, and crop disease control. Part of this research has involved demonstrating the efficacy of a variety of research and development (R&D) pesticides. As required by California regulations, the facility began recording pesticide usage at the Site in the late 1970s. Prior to that time, a comprehensive record of pesticide usage in the test field plots does not exist. As a result of the application of pesticides to soil and the handling of pesticides on-site, it is possible shallow surface soil in test field plots and the greenhouses may contain pesticide residues. In addition to the application of pesticides to surface soil, the former presence of a sewer leach pit raises the possibility that deeper subsurface soil and potentially ground water beneath the Site may contain pesticide residues as well. Further surface and subsurface investigations of soil are necessary to reduce the uncertainty associated with the former operations that were conducted on-site.

The following noteworthy issues were identified:

- From 1973 to 1985, the facility operated an evaporation bed on-site that received rinsate from the washing of pesticide containers and application equipment. The washwater was allowed to evaporate in the rubber-lined evaporation bed. This area

was the subject of a soil investigation in 1988 and the bed was removed and closed under the oversight of the California Regional Water Quality Control Board. Based on the results of the report, soil beneath the former evaporation bed does not appear to be significantly impacted by former operations. No further investigation of the evaporation bed appears warranted at this time.

- In 1989, a limited asbestos survey was conducted of the building on-site and asbestos was identified in numerous areas of the Site including: heating ducts, insulation material in the bench top ovens, planter boxes, vent pipes, and hard board bench tops. Because the survey appears to have been limited in extent and because the buildings are old, it is possible that other sources of asbestos containing material exist on-site.
- Similarly, based on the age of the buildings, it is possible that the facility may have light ballasts that contain polychlorinated biphenyls (PCBs). Facility personnel were unaware of any other potential sources of PCBs. There are several pole-mounted, utility-owned transformers on-site. It is not known whether these transformers contain PCBs; however, it would be the responsibility of the utility to manage and dispose of these transformers.
- The facility formerly had two underground storage tanks on-site that were used to fuel facility vehicles including tractors and other field equipment. A 1000-gallon gasoline tank was located adjacent to the maintenance shop; the second tank, a 1000-gallon diesel tank was located adjacent to Building 207, a storage building. Both tanks were removed in May 1993 under the oversight of the City of Santa Clara Fire Department. The tanks were observed to be in good condition with no holes or corrosion. Soil samples were collected from below the tanks and analyzed for gasoline, diesel, lead, benzene, toluene, ethylbenzene and xylenes. None of these constituents were detected. The facility was granted a closure letter dated October 7, 1993, indicating that the City of Santa Clara Fire Department had reviewed and approved the closure of the tanks. Based on this information, no further investigation of the tanks is needed at this time.

I. INTRODUCTION

ENVIRON International Corporation ("ENVIRON") conducted an environmental review of the University of California Bay Area Research & Extension Center (BAREC), located at 90 North Winchester Boulevard, Santa Clara County, City of Santa Clara, California (the Site). The purpose of the review was to identify areas of potential environmental concern at the Site and formulate recommendations for additional study/investigation. This report does not include a review of current environmental compliance issues.

This report has been prepared exclusively for use by the State of California Department of General Services (DGS) and may not be relied upon by any other person or entity without ENVIRON's express written permission. The conclusions presented in this report represent ENVIRON's professional judgment based on the information available to ENVIRON during the course of this assignment and on conditions that existed at the time of the assessment. No independent verification of the information provided to ENVIRON was made. While ENVIRON has no reason to doubt the accuracy of any of the information provided, this report is accurate and complete only to the extent that information provided to ENVIRON was itself accurate and complete.

This report presents the results of our investigation. It is based primarily on the following:

- A Site visit by ENVIRON personnel, Margaret David and Daniel Barrientos, on July 23, 2002.
- An interview during the Site visit with Dr. Zak Mousli, Superintendent for the Bay Area Research and Extension Center.
- A review of documents and reports provided to ENVIRON by Dr. Mousli and David Towle of the Administrative Office for the Research & Extension Centers of the University of California (UC) including: a report of closure for the former evaporation bed, underground tank removal documents, an asbestos survey report, irrigation well documents, business plan documents, a chemical inventory, a pesticide list and restricted materials permit, septic system documents, a pesticide use summary monthly report from 1979 to 2002, and a business plan and chemical inventory.

- A review of historical aerial photographs for the Site and surrounding area dated 1937, 1954, 1958, 1960, 1963, 1966, 1968, 1971, 1974, 1976, 1978, 1980, 1982, 1984, 1988, 1989, 1990, 1992, 1994, 1996, 1997 and 1999 conducted at Pacific Aerial Surveys, Oakland, California on July 26, 2002.
- A review of regulatory agency databases for the Site and vicinity conducted by Environmental Data Resources, Inc. (EDR) and reported to ENVIRON on July 18, 2002. EDR conducted searches of federal databases including: United States Environmental Protection Agency (EPA) National Priorities List; EPA Comprehensive Environmental Response, Compensation, and Liability Information System; EPA Emergency Response Notification System; Corrective Action Report; and Resource Conservation and Recovery Information System; Flood Zone Data from the Federal Emergency Management Agency (FEMA). State databases included: Notify 65, which lists Proposition 65 records; California Environmental Protection Agency's Annual Workplan, which identifies known hazardous substance sites targeted for cleanup; Leaking Underground Storage Tank Information System; Underground Storage Tank Database; and Former Manufactured Gas (Coal Gas) Sites. In reviewing the environmental databases, it should be noted that such databases are not instantaneously updated by the specific regulatory agencies. Depending on the database and the agency, update frequency may be as infrequent as annually. The dates of the most recent updates for the searched environmental databases are listed in the EDR report, from which a copy is presented as Appendix A.
- A review of historic City Directory information for the Site and neighboring properties obtained from EDR.
- A review of a 1966 historic Sanborn Fire Insurance Map for the Site and neighboring properties obtained from EDR. Since the map showed only a small portion of the Site, ENVIRON requested but has not yet received a more complete map.
- A review of the United States Geological Survey (USGS) San Jose West, California 7.5-minute series topographical map, dated 1961, photorevised 1980.

- A review of historical United States Geological Survey (USGS) topographical maps, dating 1895, 1899, 1939, 1953, and 1961, with photo revisions from 1968 and 1978.
- A review of available Site files at the City of Santa Clara Fire Department on August 9, 2002.
- A review of available files for two properties in the vicinity of the Site (690 and 780 North Winchester Boulevard) at the City of San Jose Fire Department on August 9, 2002.
- A review of available files for the property located at 690 North Winchester Boulevard at the San Francisco Bay Area Regional Water Quality Control Board on September 3, 2002.

II. DESCRIPTION OF THE SITE AND ITS OPERATIONS

A. Site Description


The Site is located at 90 North Winchester Boulevard, approximately three and one half miles south of downtown Santa Clara, California. The location of the Site is presented on Figure 1. The Site is an approximately 17-acre, roughly rectangular-shaped property.

As shown in Figure 2, 12 small buildings are located on the eastern portion of the Site. The estimated construction dates, the uses and a brief description of the buildings are presented on Table 1.

The remainder of the property consists of agricultural fields, unpaved roadways and paved parking lots. The fields are numbered one through twelve. They cover a total of approximately eleven acres. Field 9 is covered by screens, which form a covered building. It was used in the past to experiment the effects of insecticides and the screens have subsequently deteriorated. The unpaved roadways provide access to the fields. The only paved area is the northwest corner of the property, where buildings 100, 103, 104, 105, 201 and 204 are located, and is used for parking.

The area surrounding the Site consists primarily of residential/commercial land. Immediately surrounding the Site to the north, west and south are residential homes. In addition there is, to the south of the Site along Winchester Boulevard, a commercial building, a veterinary clinic and parking lot. To the east and southeast beyond Winchester Boulevard, is a large shopping mall (Valleyfair West Mall), a bank, and several restaurants. To the northeast of the Site are more restaurants and Dunn-Edwards Paints, a paint supply company.


The topographic elevation at the Site is approximately 125 feet above mean sea level (MSL). Based on a review of the USGS San Jose West Topographic Map, the nearest surface water bodies appear to be an intermittent stream, Saratoga Creek, situated one and one-half mile northwest of the Site and an intermittent river, Los Gatos Creek, situated two and one-half miles to the southeast. Additionally, a review of the historical topographical maps showed another intermittent stream, San Tomas Aquinas Creek, situated three-quarters of a mile west of the property. San Tomas Expressway currently appears to overlie this creek.



0310609A-VCMAP-TOPQ.DWG


SOURCE: USGS Map 7.5 Min Series (Topographic) SAN JOSE WEST QUAD, California, Photorevised 1980.

<div>ENVIRON</div> <div>6001 Shellmound St., Suite 700, Emeryville, CA 94608</div>	<div>Site Location Map</div> <div>BAREC</div> <div>90 N. Winchester Blvd.</div> <div>Santa Clara, California</div>	<div>Figure</div> <div>1</div>		
Drafter: RS	Date: 8/19/02	Contract Number: 03-10609A	Approved:	Revised:



FOREST AVE.

NORTH WINCHESTER BLVD.



ENVIRON

Site Layout
BAREC
90 N. Winchester Blvd.
Santa Clara, California

DATE: 8/19/02
DRAWN BY: RS

CONTRACT NUMBER: 03-10609A
APPROVED: [Signature]

PHASE: 2

8: \GRAHMG\0310609A\LA\YOU1.DWG

Table 1
Description of Buildings at BAREC

BAREC Building No.	Estimated Construction Date	Use and Description
100	1928	A two-story wooden structure that is used as the main administration building.
103	1960s	Greenhouse. Single-story structure, wooden frame with corrugated fiberglass walls and roof. It has no floor.
104	1960s	Greenhouse. Single-story structure, wooden frame with corrugated fiberglass walls and roof. It has no floor.
105	1960s	Greenhouse. Single-story structure, wooden frame with corrugated fiberglass walls and roof. It has no floor.
201	1928	Vehicle maintenance shop. Single-story wooden structure.
203	Between 1937 and 1954	Shed and pump house. Single-story wooden structure.
204	Between 1937 and 1954	Small potting shed. Single-story wooden structure with corrugated fiberglass walls and roof.
207	1970s	Storage building. Single-story, wooden frame with corrugated metal walls and roof.
208	1970s	Pesticide shed. Single-story wooden structure.
404	Brought to the Site 10 years ago	Trailer, used for office space.
Unnumbered Screen House	1998	Screen house and plant nursery located directly east of Building 404
Unnumbered Equipment Shed	1970s	Storage area for plant pots located directly north of Building 105. It has no floor.
Unnumbered Military Trailer	Unknown	Small portable metal military trailer, located next to the two fuel ASTs. It is located next to Field 5
Unnumbered Covered Area	Unknown	Covered area located next to Building 208, used as parking for the tractors

In general, the topography of the area slopes in a northeasterly direction. Site personnel were not aware of any flooding at the Site. Flood information from the Federal Emergency Management Agency (FEMA) Santa Clara County map indicates the Site is located within a 500-year flood zone. Based on wetlands information compiled by the U.S. Fish and Wildlife Service and provided by EDR, the Site does not contain any wetlands. ENVIRON did not observe any vegetation indicative of wetlands at the time of the Site visit.

A.1 Geology and Hydrogeology

Site-specific geologic and hydrogeologic information was not obtained by ENVIRON as part of this environmental assessment; however, based on information in the Dames and Moore report regarding the closure of the former evaporation bed, the Site is located near the center of the South Bay hydrologic sub-basin of the San Francisco Bay hydrologic basin which is located in the Coast Ranges geomorphic province. The Coast Ranges geomorphic unit is characterized by predominantly northwest trending mountains, valleys and faults. The South Bay unit is a broad alluvial valley sloping north toward San Francisco Bay. The Site is underlain by Quaternary alluvium deposited by streams that merge near the center of the San Jose Alluvial Plain and flow north toward San Francisco Bay. The alluvium is composed of unconsolidated interbedded gravel, sand silt and clay. The alluvium becomes progressively finer-grained northward toward the Bay and contains a series of laterally extensive marine clay layers.

Dames and Moore interprets the Site to be within or on the margin of the area underlain by extensive clay layers. According to documentation provided by David Towle for the irrigation well at the Site, gravel was observed at the Site to a depth of 39 feet. The gravel was underlain by layers of clay, sandy clay, gravelly clay and gravel to a depth of 360 feet. Blue clay was reported at depths of 70 to 75 feet, 105 to 119 feet, 239 to 244 feet, and 261 to 272 feet which is consistent with Dames and Moore's interpretation that the Site is on the margin of the area underlain by extensive clay layers.

A.2 Ground Water

According to the Dames and Moore report, most water wells in the San Jose Alluvial Plain withdraw ground water from the Quaternary alluvium. Four correlatable regional aquifers have been identified in the alluvial plain; the 60-foot, 250-foot, 350-foot, and 450-foot aquifers. Most major producing wells in the Santa Clara area withdraw water from a zone 150 to 250 feet below ground surface under confined or

semi-confined conditions. BAREC personnel indicate that one groundwater well is located on-site. It is located inside the pump house and is used for irrigation of the fields. The well at the Site is screened from a depth of 200 to 250 feet below ground surface (bgs); the depth to groundwater in this well is 140 feet and approximately 3.7-million gallons are pumped annually. The EDR report identified nine additional active wells within a one-mile radius of the Site. They are operated by O'Connor Hospital, the San Jose Water Company, the City of San Jose, and the City of Santa Clara. No additional information about these wells was found.

There is no Site-specific information on shallow ground water at the Site. ENVIRON reviewed a Soil and Ground Water Report prepared for McCulley, Frick & Gilman, Inc. for the Dunn-Edwards Corporation Facility located at 690 Winchester Boulevard, approximately 1/8 mile north of the Site. The report indicated that shallow ground water was encountered between 20 and 30 feet bgs and that shallow ground water flowed towards the Bay to the east.

B. Site History

According to facility personnel, the Site was originally occupied by a veterans' widows home. The agricultural experimental field station operations began in 1928. The home remained in operation until the 1960s, when it was demolished and replaced with more agricultural fields. According to historical topographical maps, the name of the facility used to be Holderman Sanitarium. Based on a review of historical titles and deeds, obtained from DGS, four lots owned by Margaret Osborne were deeded to the State of California in 1921 and 1924. The four lots were incorporated into three lots, two of which were deeded by the State of California to the UC in 1952 and 1963. The third lot, located directly southwest of the Site, remained property of the State of California, and is currently occupied by a commercial establishment.

The field station's initial purpose was to serve the farmers in the surrounding area. Up until roughly 1990, deciduous fruit trees (such as apples, citrus, cherries, almonds and ornamental) were planted in the different fields at different times to conduct research on fertilizers, irrigation, variety characteristics of crops, and crop disease control. This research included testing of pesticides and insecticides. As the surrounding area changed and became urban, the trees were replaced with various crops, such as strawberries, corn, tomatoes, beans and flowers. According to David Towle at the UC, during the past 5 years, eighty percent of the research at BAREC has focused on crop improvement, whereas only twenty percent has involved pesticide use.

Based on the information obtained from available historical information sources, ENVIRON has assembled the following chronology of historic activities at and in the vicinity of the Site:

- At some point before 1937, the Holderman Sanitarium was built. Based on a review of the aerial photograph from 1937, it apparently occupied most of what is now Fields 4, 10 and 11 and consisted of two large structures and approximately six smaller structures. There were no roadways in-between the fields, but there was an access road from Winchester Boulevard south of the current gate. Buildings 100 and 201 were built before 1937, as well as another structure in the place of the current unnumbered screen house. A water tower also existed at that time, located next to the current Field 10. Agricultural fields similar in configuration to the current fields appear to occupy the remaining area of the property.
- Based on a review of aerial photographs from 1937 and 1954, buildings 103, 203 and 204 were built at some point between 1937 and 1954.
- Based on a review of aerial photographs from 1968, 1971, 1976 and 1982, the Holderman Sanitarium and water tower were demolished between 1968 and 1971. Buildings 103, 104, 105, 208 and the equipment shed behind Building 105 were apparently constructed in that period. Starting in 1971, the area previously occupied by the Holderman Sanitarium was transformed to agricultural fields. The evaporation bed appears to have been constructed between 1971 and 1976, and was covered with a roof between 1976 and 1982.
- Based on a review of aerial photographs from 1992, 1994, 1996, 1997 and 1999, Building 404 was placed between 1994 and 1996. The existing empty water tank was placed between 1996 and 1997. The current unnumbered screen house replaced the previous structure at some point between 1992 and 1999.

C. Description of Operations

Currently, the facility is an agricultural research facility that has provided community out-reach information on improving crop production, irrigation systems, nutrition and variety characteristics of crops, and crop disease control. Dr. Mousli

reported that a variety of crops are planted on-site including corn, tomatoes, beans, flowers, grass sod turf, and deciduous fruit trees (e.g., apples, cherries, ornamental trees). The 17-acre Site is parceled into 12 field plots. Within each field plot, a specific crop such as deciduous fruit trees or grass turf is grown. For research involving crop disease, select pesticides are applied to determine the efficacy at ameliorating the pest or disease of concern by UC researchers. According to Dr. Mousli, the crops and type of research are routinely changed and, therefore, the pesticides applied also change. Brief descriptions of activities are presented by building below.

Main Administration Building, Building 100 and Administrative Trailer Building 404. The building contains administrative offices, a large meeting room and a dry laboratory. According to facility personnel, no chemicals are used in the laboratory. Soils are dried and weighed in preparation for outside analysis of chemical and physical properties. Additional administrative activities are undertaken in a portable trailer, Building 404. The trailer contains a small office and a dry laboratory for specimen preparation. No chemicals are used or stored in this building.

Greenhouses, Buildings 103, 104, and 105, and Potting Shed, Building 204. Buildings 103 through 105 are fiberglass structures without floors that have been historically used as greenhouses. Currently, Greenhouse Building 103 stores compost bins; Greenhouse Building 104 stores planter boxes, old furniture and equipment. Greenhouse Building 105 is currently used to grow vegetables. The vegetables grow in pots located on top of tables. Water and fertilizer are sprayed directly onto the plants. Some herbicide is sprayed occasionally between the tables to control weeds.

The potting shed is located adjacent to the greenhouses and is used to pot small plants before they are placed in the greenhouse. At the time of the Site visit, one small sink was located in this room. Dr. Mousli indicated that the sink is no longer in service, and that was previously used exclusively to wash pots. According to Dr. Mousli, the sink used to drain through a pipe to a 6-foot wide, 6-foot long underground wooden tank, located in Field 6. The depth of the tank is unknown. Dr. Mousli indicated that the tank was accidentally broken, and that the pipe was subsequently plugged.

Pesticide Storage Shed, Building 208. This building is, according to facility personnel, the only storage area for pesticides. The building is divided into two rooms. In the first room, a variety of pesticides are stored on shelves. Small quantities of

pesticides are also mixed in this room and poured into 60-gallon tanks and backpacks for application in the field. A fume hood is located in the building and is used for mixing the pesticides. There are no drains or sinks in this room. The second room contains personal protective gear, showers and lockers for the employees using pesticides. A floor drain is located in this portion of the building that is currently connected to the City sanitary sewer. Prior to connection to the sewer, this floor drain discharged to the evaporation bed (Section G). No information is available regarding whether this drain existed prior to 1973 when the evaporation bed was constructed, and if it existed prior to 1977, where it discharged.

Adjacent to this building is a wastewater treatment system for pesticide rinsate. This area formerly contained an evaporative wastewater bed. Both of these wastewater systems are discussed in more detail in Section G.

Shop and Machinery Storage, Building 201 and Portable Military Trailer.

BAREC owns nine vehicles consisting of: three trucks, four tractors, one forklift and one car. These vehicles are serviced inside Building 201. According to facility personnel, the operations conducted inside this building consist of oil changes and degreasing operations, in which a small amount of solvent is placed on rags and subsequently the rags are used to wipe the desired surface. The solvent is allowed to evaporate off the rags before they are discarded in the trash. At the time of the Site visit, ENVIRON observed a small shelf that contained small containers (less than one gallon) of a variety of solvents, lubricants, and cleaning supplies. One small air compressor was noted in the building. In addition to the maintenance shop, the facility also stores used oil and used oil filters in a portable metal trailer located adjacent to Field 5.

According to facility personnel, the maintenance shop has never had any hydraulic lifts or maintenance pits. At the time of the Site visit, no significant stains were observed on the floor of the shop. In addition to the shop, the building also houses a walk-in refrigerator that was formerly used to store vegetables.

An equipment washer is located outside the building, although the current personnel have never used it. Historically, a steam cleaner was used just outside the shop, however it was stolen sometime before 1996, according to facility personnel. No stains were noted at this location during the Site visit.

Irrigation Pumphouse, Building 203. The irrigation well is located inside this building. The pump was recently replaced due to a broken shaft. The current

submersible pump is located at a depth of 200 ft and has a capacity of 500 gallons per minute.

Departmental Shed, Building 207. This building is located in close proximity to the fields and is divided into several compartmentalized rooms with large barn doors for access. According to facility personnel, the building is used for storage of fertilizers, old equipment and furniture, and as parking for one of the tractors. Additionally, one room is used to grow mushrooms.

D. Polychlorinated Biphenyls (PCBs), Asbestos and Lead-Based Paint

PCBs

According to facility personnel, BAREC does not use nor own any transformers. At the time of the Site visit, ENVIRON noted six pole-mounted transformers located on the property, all of which are reportedly owned by PG&E. Since the UC does not own these transformers, demolition or relocation of these transformers would not be the responsibility of the UC or the Department of General Services. It is unknown whether these transformers contain PCBs, but no leaks have been observed by facility personnel and none were noted during the Site visit. Facility personnel were unaware of any PCB containing equipment. It is possible, based on the age of the buildings, that light ballasts from fluorescent lights contain small quantities of PCBs.

Asbestos

The UC conducted a limited asbestos survey in 1989. A total of six samples were analyzed for asbestos-containing material (ACM) and limited abatement was performed or recommended:

- The first sample, which contained a high percentage of asbestos, was obtained from the conference room cabinet in Building 100. The substance appeared to be fire door gasket material, and it was placed in a plastic bag for disposal.
- Two ACM containing samples were obtained from a cloth duct wrap used to connect the heating duct in the lower level of the same building. Only one spot of this cloth wrap was considered to be friable ACM, and was recommended to be sealed.
- One sample was obtained from a small quantity of insulating material inside

an oven in the laboratory of Building 100. It was considered extremely friable ACM and the recommendation was to abate it immediately.

- One sample was obtained from planter boxes in Building 105. Although the sample tested positive for ACM, the report considered most of the boxes in good condition and no abatement was recommended. Only a few were observed to be damaged, and they were recommended to be abated using a silicone sealant.
- The last sample was obtained from some floor tiles in Building 100. No ACM was detected.

No information was found in the documents provided to ENVIRON on whether the recommendations for abatement were followed.

Additionally, the following areas were found to contain non-friable ACM:

- Furnace vent pipe in the upper level crawl space, and floor tile throughout Building 100
- Hardboard surface in the work benches of Building 204
- Laboratory table tops, hardboard sections and several pipe sections in Building 207
- Fume hood and hardboard surfaces in the work bench in Building 208.

Additionally, facility personnel reported during the Site visit that one of the irrigation field standpipes has ACM. The standpipe was noted to be located south of Field 8, during the Site visit. Approximately six feet of the pipe extends above ground.

Lead-Based Paint

The only specific standard regarding the use of lead-based paint in buildings is 24 CFR 35, which prohibits the use of lead-based paint in public housing, effective in 1978. Therefore, buildings constructed prior to 1978 are more likely to contain lead-based paint. The majority of the structures within the Site were constructed prior to 1978 and, therefore, may contain lead-based paint. It was not within the scope of this study to determine which buildings may or may not contain lead-based paint. However, once specific future development plans are identified, an investigation for lead-based paint in buildings that are to remain at the Site may be warranted.

E. Hazardous Materials Use and Storage

Hazardous Materials Use

According to facility personnel, the facility uses the following chemicals on-site: pesticides and fertilizers for the crops; gasoline and diesel for the vehicles; paints and solvents for general maintenance. Most of these chemicals are stored in small quantities (i.e., less than five gallons) with the exception of diesel, gasoline, waste oil and ammonium nitrate. A list of the chemicals currently stored on-site is presented in Appendix B.

According to facility personnel, there were no regulations applicable to the Site as far as record keeping of pesticide use before 1980. ENVIRON obtained pesticide application records starting in 1979; they are summarized in Appendix C.

Underground Storage Tanks

There are no underground storage tanks (USTs) currently in use at the Site. Two 1,000-gallon fuel tanks were formerly located on-site. The date of installation of the tanks is unknown. A 1000-gallon gasoline UST was located next to Building 201 a 1000-gallon diesel UST was located next to Building 207 (see Figure 2).

UC personnel removed the tanks in 1993. Two samples were taken from approximately two feet below the bottom of the gasoline UST excavation, and one sample was taken from approximately two feet below the bottom of the diesel UST excavation. The soil samples were analyzed for gasoline, diesel, lead, benzene, toluene, ethylbenzene and xylenes. None of these constituents were detected. The tanks were reportedly in good condition with no evidence of damage at the time of the removal. A letter dated October 7, 1993, from the City of Santa Clara Fire Department confirms that there was no sign of contamination, and that no further work is required.

Aboveground Storage Tanks

Two double-walled 500-gallon aboveground storage tanks (ASTs) are located on-site in the vicinity of Field 5. The ASTs are currently on top of concrete pads. The date these tanks were installed is unknown but it was before 1996, according to facility personnel. It is likely they were installed after the USTs were removed in 1993.

Additionally, there is a water tank next to the pump house that is used for water storage. Another water tank was installed next to the first one, but has never been used.

As part of the equipment wash system, described in section G, three tanks of various sizes are located next to the pesticide shed (Building 208).

Drums and Small Containers

There are a number of smaller containers (less than five gallons) in Building 201, containing paints, diesel, gasoline, oil, and paint thinner.

F. Non-hazardous and Hazardous Waste

Non-hazardous Waste

Solid waste generated as a result of facility operations includes miscellaneous paper and cardboard debris and empty containers (e.g., potting containers). All of this solid waste is disposed in the garbage dumpster, which is located next to the trailer (Building 404).

Hazardous Waste

According to Dr. Mousli, hazardous wastes are generated sporadically at the Site. Reportedly, these wastes have always been sent off-site for disposal and, with the exception of pesticide rinsate, no materials have been disposed of on-site. Dr. Mousli was unable to provide a comprehensive file of manifests demonstrating off-site disposal of materials.

ENVIRON was, however, provided with a summary sheet that indicated several of the off-site haulers that BAREC has used. This information is presented on Table 2.

G. Wastewater

Sanitary Wastewater

Sanitary wastewater generated from the main administrative building, Building 100, is currently discharged into the City of Santa Clara sewer system. According to documentation given to ENVIRON by the UC, the connection to the city system occurred in 1977. Prior to 1977, wastewater from these buildings was discharged into a sewage leach pit. According to a drawing dated April 1, 1977, the leach pit was approximately four feet wide, six feet long and four feet deep, and was located between buildings 201 and 100 as shown on Figure 2. The leach pit was abandoned in accordance with Uniform Plumbing Code Standards for cesspools.

Table 2
Hazardous Waste

Waste Type	Volume Generated	Location of Storage	Company in Charge of Disposal
Used oil	50 gal/year	Military Trailer	Bayside Oil of Santa Cruz, CA
Used oil filters	12 / year	Military Trailer	Bayside Oil of Santa Cruz, CA
Used antifreeze	Unknown	Building 201	Santa Clara Valley Hazardous Waste of Santa Clara, CA
Unused Pesticide	Unknown	Building 208	Santa Clara Valley Hazardous Waste of Santa Clara, CA
Used Pesticide Containers	Unknown	Building 208	Santa Clara Valley Hazardous Waste of Santa Clara, CA
Fluorescent Lights	Unknown	Building 201	Santa Clara Valley Hazardous Waste of Santa Clara, CA
Used batteries	Unknown	Building 201	Santa Clara Valley Hazardous Waste of Santa Clara, CA
Solvent rags	Unknown	Building 201	Santa Clara Valley Hazardous Waste of Santa Clara, CA
Oil contaminated soil	Unknown	Military Trailer	Santa Clara Valley Hazardous Waste of Santa Clara, CA
Spent carbon	Unknown	Equipment Wash System Tanks	US Filter of Parker, AZ

Additionally, a 1963 plan indicates the existence of a septic tank located in a leach field next to the Holderman Sanitarium on what is currently Field 4. No additional information was found.

An equipment wash system is located next to the pesticide shed (Building 208). It was installed in the early 1990s, according to facility personnel. It consists of three aboveground tanks and a series of filters, and is used to wash the exterior of the fertilizer

tanks. The interior of the fertilizer tanks is rinsed thrice in the field and the contents applied to the same field. The sludge of the wash system was reportedly tested and contained diesel only.

There is currently one sewer line under the parking lot that discharges to the City of Santa Clara sewer system. It collects wastewater from the office building (Building 100) and from the equipment wash system.

Former Evaporation Bed

According to a Dames & Moore report (1988), an evaporation bed was constructed in 1973 to dispose of diluted pesticide wastes. Rinsate from the washing of pesticide containers and application equipment was applied to the evaporation bed from 1973 to 1985. Use of the evaporation bed was discontinued in 1985 and inlets to the basin were sealed.

The evaporation bed consisted of a lined soil evaporation bed, which was 20-feet long and 15-½feet wide. A translucent corrugated fiberglass roof shielded the bed from rainfall. A compacted earthen embankment covered by 2 inches of washed sand and a rubber liner formed the floor and walls of the bed. The fill in the evaporation bed consisted of 16 inches of sandy loam soil overlying a 6-inch layer of graded gravel and 2 inches of washed sand. Perforated bituminous fiber pipes in the gravel layer were connected to a distribution box within the bed. The distribution box was composed of pressure-treated wood. A 4-inch bituminous fiber pipe penetrated the liner on the east side of the bed and connected the distribution box to the sediment trap, located 5 feet east of the bed. The sediment trap consisted of a cylindrical concrete box, 3 feet in diameter and 6 feet deep, with a manhole cover. Because the elevation of the pipe carrying rinsate into the sediment trap was higher than that of the pipe carrying the rinsate out, heavier particles sank into the trap and were not carried to the evaporation bed. Two drains, one in the pesticide shed and one in the concrete wash slab, were connected to the sediment trap by a 4-inch plastic pipe and a 4-inch cast iron pipe, respectively.

The rinsing occurred in a concrete wash slab adjacent to the pesticide storage shed (Building 208). Rinsate drained first into the sediment trap from which sediment was cleaned out periodically and distributed on the evaporation bed. From the sediment trap water flowed into the distribution box of the evaporation bed where perforated pipes connected to the distribution box dispersed the diluted pesticide solutions throughout the bed's gravel layer. Capillary forces in the loam soil drew the rinsate solution up through the overlying soil to evaporate at the surface. Hydrated lime (calcium hydroxide) was

tilled into the soil bed to increase the soil pH, which accelerated the breakdown of organophosphate and carbamate pesticides.

The liner in the evaporation bed was composed of two sheets of 20-mil-thick nylon-reinforced butyl rubber liner, spliced together on-site. The liner was inspected carefully during bed removal activities and appeared to be in good condition. At the time the Dames & Moore report was written, there was no history of leaks or repairs to the liner at the Site.

Prior to its removal, the evaporation bed was sampled in July 1987 by UC (UC) staff. The bed was divided into 16 quadrants of approximately equivalent size; one sample from each quadrant was collected for depths of zero to 12 inches. A composite sample of all 16 samples was submitted for analysis. Based on the analytical results, Dames & Moore concluded that the soils in the evaporation bed would be considered non-hazardous according to California Department of Health Services (DHS) regulatory criteria (California Administrative Code, Title 22, Division 4, Chapter 30, Article 11). Sample results are summarized in Table 3.

Table 3
Summary of Soil Chemical Test Results – July 1987 Soil Samples

	Detection Limit (mg/kg)	Bed Soil (0-1 ft) (mg/kg)
Toxaphene	1.6	*
Guthion	10	16
Baygon	0.01	0.028
Chloroprotham	0.005	0.04
Fluometuron	0.001	1.6
2,4-D	0.025	1.2
Afugan	(1)	0.089
2-(Phenylazo)-Benzoic Acid	(1)	2.5
Zytron	(1)	0.17
Arsenic	40	78
Copper	3	27
Calcium	10	28,800

* Not detected

(1) Detection Limit not available - constituent concentration estimated from library search

Source: Dames & Moore Report (1988), Table D-4

The UC, with the assistance of Dames & Moore, removed the evaporation bed in October 1987. All materials were excavated from inside of the liner and the liner was checked for integrity. After the liner was removed, the underlying two inches of soil were excavated from the bed to minimize any possible residual contamination.

Four samples were collected from the bottom of the evaporation bed excavation after the liner was removed. The carbamate pesticide chloropropham was reported at a concentration of 2.8 mg/kg in one of the samples. No other pesticides or herbicides were detected in the four samples collected below the former evaporation bed. Sample results are summarized in Table 4.

Table 4
Summary of Soil Chemical Test Results – October 1987 Soil Samples

	Detection Limit (mg/kg)	Background		Beneath the Evaporation Bed			
		DFFS-1A (mg/kg)	DFFS-2A (mg/kg)	DFFS-3A (mg/kg)	DFFS-4A (mg/kg)	DFFS-5A (mg/kg)	DFFS-6A (mg/kg)
DDE	0.016	0.023	0.17	*	*	*	*
DDT	0.016	0.016	0.17	*	*	*	*
Organophosphate Pesticides	0.1-2.0	*	*	*	*	*	*
Chloropropham	0.5	*	*	2.8	*	*	*
Triazine Herbicides	0.1	*	*	*	*	*	*
Chlorinated Herbicides	0.025-0.13	*	*	*	*	*	*
Other Organic Compounds	-	*	*	*	*	*	*
Arsenic	40	*	*	*	*	*	*
Copper	3	24	29	22	22	18	20
Barium	10	120	120	110	120	110	110
Cadmium	0.5	0.66	0.59	0.52	0.54	*	0.63
Chromium	1	42	34	34	37	35	47
Cobalt	3	9.4	8.4	8	9.1	8.2	10
Lead	5	*	27	*	*	*	*
Nickel	5	52	49	48	51	43	49
Vanadium	5	31	28	27	29	29	31
Zinc	2	51	56	44	48	41	45

- Not available

* Not detected

Source: Dames & Moore Report (1988), Table D-6

Dames & Moore concluded that there was no indication that the operation of the former evaporation bed had a significant impact on the environment.

Storm Water

Currently, storm water runoff at the facility percolates into the fields. The parking lot area stormwater goes to the street, where it enters the City of Santa Clara storm drain system.

H. On-site Soil and Ground Water Contamination, Investigation and Remediation

ENVIRON identified the following potential sources of on-site soil contamination:

1. Current and Historical Pesticide Use

Since the 1920s, the Site has been used as an agricultural research station. The primary research efforts at the Site have focused on improving crop production methods, irrigation systems, nutrition and variety characteristics of crops, and crop disease control. Part of this research has involved demonstrating the efficacy of a variety of research and development (R&D) pesticides. As a result of the application of pesticides to soil and the handling of pesticides on-site, it is possible shallow surface soil in test field plots and the greenhouses may contain pesticide residues. In addition to the application of pesticides to surface soil, the former presence of a sewer leach pit raises the possibility that deeper subsurface soil and potentially ground water beneath the Site may contain pesticide residues as well. Further surface and subsurface environmental investigations are necessary to determine whether soil and/or ground water has been adversely impacted by pesticide use.

2. Former USTs

The facility had two underground storage tanks on-site that were used to fuel facility vehicles including tractors and other field equipment. Both tanks were removed in May 1993 under the oversight of the City of Santa Clara Fire Department. The tanks were observed to be in good condition with no holes or

corrosion. Soil samples were collected from below the tanks and analyzed for gasoline, diesel, lead, benzene, toluene, ethylbenzene and xylenes. None of these constituents were detected. Based on this information, the facility was granted a closure letter dated October 7, 1993 by the City of Santa Clara Fire Department. No further investigation of the former USTs appears warranted at this time.

3. Former Evaporation Bed

From 1973 to 1985, the facility operated an evaporation bed on-site that received rinsate from the washing of pesticide containers and application equipment. The washwater was allowed to evaporate. This area was the subject of a soil investigation in 1988 and the bed was removed and closed under the oversight of the California Regional Water Quality Control Board. Based on the results of the report, soil beneath the former evaporation bed does not appear to be significantly impacted by former bed operations. No further investigation of the evaporation bed appears warranted at this time.

4. Off-site sources

The EDR report identified a Leaking Underground Storage Tank (LUST) site at the Dunn-Edwards Corporation facility. The contents of the leaking tank were reported to be paint thinner. ENVIRON reviewed a Soil and Ground Water Investigation Report prepared by McCulley, Frick & Gilman, Inc., for this facility, located at 690 North Winchester Boulevard, approximately less than a quarter of a mile north of the Site. Since the report indicated that the hydraulic gradient of the shallow ground water at the Dunn-Edwards facility was to the east away from the BAREC Site, ENVIRON considers the Dunn-Edwards site to pose little or no threat of contamination to the Site.

APPENDIX A EDR REPORT

APPENDIX B
CHEMICALS STORED (1997 TO PRESENT)

Appendix B
Chemicals Stored (1997 to Present)

Material	Quantity Stored	Primary Chemical Components	Source ¹
Cal Jan Tub Tile & Bowl Cleaner	9 QT. PLS BTL	Unknown	CIS
Clorox Toilet Bowl Cleanser	2-24 OZ. PLS BTL	Sodium Hypochlorite	CIS
Ajax Oxygen Bleach Cleanser	2-21 OZ. CARD CAN	Calcium Carbonate	CIS
Envirosafe Glass Blast	2 GAL. PLS BTL	Unknown	CIS
Lucky Bleach	4 GAL. PLS BTL	Sodium Hypochlorite	CIS
Liquid Plumr, clog remover	2QT. PLS BTL	Sodium Hypochlorite, Sodium Hydroxide	CIS
Spray N'Clean	24 OZ. CAN	Unknown	CIS
OSH Ant Roach & Spider Control	24 OZ. PLS BTL	Diazinon	CIS
Sta-Lube Lanolin Cream Hand Cleaner SL 1211	2-24 OZ. CARD CAN	Petroleum Distillate	CIS
Sta-Lube Lanolin Cream Hand Cleaner SL 1211	7 LB. CAN	Petroleum Distillate	CIS
Super Stripe Traffic Paint	12-18 OZ. CAN	Toluol	CIS
Lube-Zit Rubber Lubricant	1 GAL. CAN	Unknown	CIS
Sta-Lube Molybium #3143 Multi- purpose Grease	5 LB. CAN	Lithium Base	CIS
RPM Wheel Bearing Grease	10 LB. CAN	Unknown	CIS
Unitrac Universal Tractor Hydraulic Fluid	2-5 GAL. PLS DRUM	Unknown	CIS
Extra-Duty, Multipurpose Gear Lubricant 80-90-wt.	35 LB. PLS DRUM	Unknown	CIS
Chevron Multi-Motive Grease-1	35 LB. CAN	Unknown	CIS
Revere Hydro-Lock Quick Setting Hydraulic Cement	45 LB. PLS DRUM	Unknown	CIS
2 Cycle Engine Oil	2 QT. PLS BTL	Unknown	CIS

¹ Notes: CIS = Chemical Inventory Sheet dated March 12, 1999

SCAG = Santa Clara County Department of Agriculture Restricted Materials Permit,
dated January 9, 2002.

PL = BAREC Pesticide List, dated July 26, 2002

HAZMAT = Santa Clara Fire Department Hazardous Materials Inventory for BAREC
dated April 2, 1997

The chemical names for materials found in SCAG and PL were found in the Crop
Protection Reference, C&P Press 1997

Material	Quantity Stored	Primary Chemical Components	Source 1
Lacquer Thinner	1 GAL. CAN	Petroleum Naphta	CIS
Pure Row Linseed Oil	1 GAL. CAN	Petroleum Naphta	CIS
A-1 Thermolite Enamel	8 OZ. CAN	Petroleum Distillates, Pigment	CIS
Rust-Oleum Thinning Oil	8 OZ. CAN	Petroleum Spirits 84%	CIS
R-O Gloss Protective Enamel	2 QT. CAN	Unknown	CIS
Delthane Polyurethane	1 GAL. CAN	Unknown	CIS
Delthane Polyurethane	11.5 OZ. CAN	Unknown	CIS
Ace Acrylic Semi Gloss Latex Enamel	29 OZ. CAN	Unknown	CIS
Man-O-War Salin Spar Marine Varnish	1 QT. CAN	Unknown	CIS
Acry-luster Acrylic Semi-Gloss	1 GAL. CAN	Unknown	CIS
Emulsa-Bond Stir in Bonding Primer	1 GAL. CAN	Unknown	CIS
Weld On PVC P-70 Primer	1 QT. CAN	Unknown	CIS
Pipe Thread Compound	2-8 OZ. CAN	Unknown	CIS
Concrete Bonding Adhesive	2 QT. PLS BTL	Unknown	CIS
Wet Dry Roof Cement	1 GAL. CAN	Asphalt	CIS
Black Jack Pourable Driveway Crack Filler	Unknown	Unknown	CIS
Thompson's Deck Wash	2 GAL. PLS BTL	Unknown	CIS
Paint Thinner	1 GAL. PLS BTL	Petroleum Distillates	CIS
Jasco TSP	1 QT. PLAS BTL	Tri-Sodium phosphate Organic Esters	CIS
Revero Rev-Grip	1 GAL. CAN	Unknown	CIS
Luck Bond Floor Adhesive	2 GAL. CAN	Unknown	CIS
Jasco Termin-8	1 GAL. CAN	Copper Napthanate	CIS
Jasco Termin-8	1 QT. CAN	Copper Napthanate	CIS
Eager Beaver Solid Color Alkyd Stain	1 GAL. CAN	Unknown	CIS
Jack Belanger Enamel	1 GAL. CAN	Unknown	CIS
Solder Seal/Gunk Non-Flammable Puncture Seal	24.5 OZ. CAN	1,1,1,2 Tetrafluoroethane	CIS
Thrust Quick Starting Fluid (Solder Seal/Gunk)	1 OZ. CAN	n-heptane	CIS
S.S./Gunk Havy Duty Brake Fluid	1 QT. PLS BTL	Polyglycol esters	CIS
Bell-Ease Belt Dressing #BD-6	3-5.5 OZ. CAN	Petroleum Distillates	CIS

Material	Quantity Stored	Primary Chemical Components	Source 1
Mitee Threadcutting Oil (Dark)	2 QT. CAN	Unknown	CIS
Craftsman Penetrating Oil	1 PT. CAN	Petroleum Distillates	CIS
Rema Tip Top Bead Sealer	1 QT. CAN	Unknown	CIS
Sta-Lube Hydraulic & Jack Oil #2552	1 QT. PLS BTL	Petroleum Oil	CIS
Dupont No. 7 Cooling System Cleanser	10 OZ. CAN	Oxalic Acid / Sodium Carbonate	CIS
Ace Paint Thinner	1 QT. CAN	Stoddard Solvent	CIS
Aervoe Fluorescent Glo Paint	5-12.5 OZ. CAN	Toluol	CIS
OSH Spray Primer	12.5 OZ. CAN	Xylene	CIS
OSH Spray Enamel	4-12.5 OZ. CAN	Xylene	CIS
Evercoat Spray Under Coating #405	20 OZ. CAN	Unknown	CIS
Brush Flush Oil & Latex Paint Brush Cleaner	1 QT. BTL	Unknown	CIS
Ever Fix Epoxy Resin	8 OZ. CAN	Epoxy Resin	CIS
Evercoat Marine Resin	1 QT. PLS BTL	Epoxy Resin	CIS
Clearly Visible Summer Formula Windshield Wash	1 GAL. PLS BTL	Unknown	CIS
Prestone Antifreeze Coolant	2 GAL. PLS BTL	Ethylene Glycol	CIS
Sta Lube Disc Brake High Temp Grease #3161	2 GAL. PLS BTL	Aluminum Complex Base	CIS
Light Weight Tite seal	14 OZ. CAN	Unknown	CIS
Sta-Lube General Purpose Lithium Grease (SL 3310)	2-14 OZ. CARTRIDGE	Unknown	CIS
Permutex Form-A-Gasket (2B Small 2C Large)	1 OZ. TUBE	Unknown	CIS
Permutex Form-A-Gasket (2B Small 2C Large)	3 OZ. TUBE	Unknown	CIS
Deveon 5 Minute Epoxy	1 OZ. - 2 TUBE PACKAGE	Epoxy Resin / Polyamine Hardener	CIS
Rust-Oleum Striping Paint 2326 Blue	4-18 OZ. CAN	Xylene	CIS
Cover Right Acrylic Latex Semi-Gloss	1 GAL. CAN	Unknown	CIS
Exterior High Gloss Alkyd Enamel	1 GAL. CAN	Unknown	CIS
Compo Exterior Primer/Undercoater	1 GAL. CAN	Unknown	CIS

Material	Quantity Stored	Primary Chemical Components	Source 1
M-P Prime Acrylic Multi-Purpose Primer	1 QT. CAN	Unknown	CIS
Vin-L-Tex Premium Vinyl Acrylic Exterior Finish	1 QT. CAN	Unknown	CIS
Permasheen Acrylic Semi Gloss Paint	1 GAL. CAN	Unknown	CIS
Stainseal Wiping Oil Stain	1 QT. CAN	Unknown	CIS
MinWax Wood Finish	1 QT. CAN	Unknown	CIS
Armor All Car Wax Paste	8 OZ. CAN	Petroleum Distillates	CIS
Simoniz Super Blue Car Wax	9 OZ. CAN	Unknown	CIS
Plasti-Dip	2 PT. CAN	Unknown	CIS
WD-40	2-12.9 OZ. CAN	Petroleum Distillates	CIS
Noco NCP-2 Battery Corrosion Preventative Spray (A-202)	12 ¼ OZ. CAN	Unknown	CIS
Flux, Soldering Solder Seal/Gunk (VW-1)	4 OZ. JAR	Unknown	CIS
Powdered Car Wash	9 OZ. FIBER CAN	Alkyl Aryl Sulfonate	CIS
STP Fuel Injector Cleaner	20 OZ. PLS BTL	Petroleum Distillates	CIS
GM Power Steering Fluid	1 QT. CAN		CIS
DICAMBA	Unknown	3,6-dichloro-2-methoxybenzoic acid	SCAG
BANVEL	Unknown	3,6-dichloro-o-anisic acid	SCAG
2,4-D	Unknown	Dichlorophenoxyacetic Acid	SCAG
TRIMEC	Unknown	Mixture. Dimthylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid Dimethylamine salt of 2,4-dichlorophenoxy acetic acid. Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)	SCAG
PARAQUAT	Unknown	Paraquat Dichloride	SCAG
10% Sevin Dust	Unknown	1-naphthyl N-methylcarbamate	PL
Kocide DF	Unknown	copper-hydroxide	PL

Material	Quantity Stored	Primary Chemical Components	Source 1
Thiolux	Unknown	Sulfur	PL
X-77 spreader	Unknown	Alkylaryl polyoxyethylene ether	PL
Reward	Unknown	Diquat dibromide	PL
Omite-30WS	Unknown	Propargite	PL
Poast	Unknown	Sethoxydim	PL
Ronstar G	Unknown	OXADIAZON	PL
Trimec	Unknown	Mixture. Dimethylamine salt of (MCPP) 2-(2-methyl-4-chlorophenoxy propionic acid Dimethylamine salt of 2,4-dichlorophenoxy acetic acid. Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)	PL
Subdue Maxx	Unknown	mefenoxam	PL
Fusilade II	Unknown	Fluazifop-P-butyl Butyl (R)-2-[4-[[5-(trifluoromethyl)-2-pyridinylloxy] phenoxy]propanoate	PL
Turflan II Amine	Unknown	Butoxyethanol Ester Dichlorophenoxyacetic Acid	PL
Turflon Ester	Unknown	Triethylamine triclopyr	PL
Turflon	Unknown	3,5,6-trichloro-2-pyridinyloxyacetic acid	PL
Tupersan	Unknown	3,5,6-trichloro-2-pyridinyloxyacetic acid	PL
Buctril	Unknown	Octanoic acid ester of bromoxynil	PL
Gramoxone	Unknown	PARAQUAT (1,1'-dimethyl-4,4'-bipyridilium ion)	PL

Material	Quantity Stored	Primary Chemical Components	Source 1
Methar 30	Unknown	Disodium Methanearsonate, Anhydrous	PL
Benlate	Unknown	benomyl	PL
Rally 40W	Unknown	Aluminum silicate dihydrate	PL
26019	Unknown	IPRODIONE	PL
Ambush	Unknown	(3-phenoxyphenyl) methyl(±)-cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate)	PL
Agrimek 0.15 EC	Unknown	Abamectin	PL
Roundup Pro	Unknown	Isopropylamine Salt of glyphosate	PL
Roundup Ultra	Unknown	Isopropylamine Salt of glyphosate	PL
Aatrex 4L	Unknown	atrazine	PL
Dacthal W-75	Unknown	Dimethyl 2,3,5,6-tetrachloro-1,4-benzenedicarboxylate; Chlorthal-dimethyl; DCPA; TCTP; Dimethyl tetrachloroterephthalate)	PL
Prowl 3.3 EC	Unknown	pendimethalin	PL
Dual Magnum	Unknown	acetamide	PL
Acetylene	150 CF	Acetylene	HAZM AT
Oxygen	200 CF	Oxygen	HAZM AT
Diesel Fuel	500 GAL.	Dodecane	HAZM AT
Gasoline	500 GAL.	Gasoline	HAZM AT
Ammonium Nitrate	500 LBS.	Ammonium Nitrate	HAZM AT
Waste Oil	30 GAL.	Unknown	HAZM AT

APPENDIX C
PESTICIDE USE SUMMARY

Appendix C
Pesticide Use Summary

Year	Pesticide Name	Chemical Name
1979	Round Up	Isopropylamine Salt of glyphosate
	Chevron Ortho Paraquat	Paraquat Dichloride
	Phytar 560	Sodium Cacodylate
	Vendex 50WP	Fenbutatin-Oxide [Hexakis (2-Methyl-2-Phenylpropyl) distannoxane]
	Pipron	Piperalin: 3-(2-methylpiperidino)propyl-3,4-dichlorobenzoate
	Pentho-WP	Bis (Pentachloro - 2,4 - cyclopentadien,1,yI)
1980	Chevron Ortho Paraquat	Paraquat Dichloride
	Phytar 560	Sodium Cacodylate
	Orthene 755	Acephate
	Round up	Isopropylamine Salt of glyphosate
	Pipron	Piperalin: 3-(2-methylpiperidino)propyl-3,4-dichlorobenzoate
	Kocide 101	Copper Hydroxide
	Flowable Sulphur	Sulphur
1981	Phytar 560	Sodium Cacodylate
	Chevron Ortho Paraquat	Paraquat Dichloride
	Flowable Sulphur	Sulphur
	Round Up	Isopropylamine Salt of glyphosate
1983	Triforine	Triforine
	Round Up	Isopropylamine Salt of glyphosate
	Montar	Sodium Cacodylate/Cacodylic Acid
1984	Diquat	diquat dibromide
	Plictran	Cyhexatin
	Diazinon	O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) Phosphorothioate
	Kocide 101 copper	Copper Hydroxide
	Montar	Sodium Cacodylate/Cacodylic Acid
	Pentac	Bis (Pentachloro - 2,4 - cyclopentadien,1,yI)
	Round Up	Isopropylamine Salt of glyphosate
	Orthene 755	Acephate
	Diquat	diquat dibromide
	Triforine	Triforine
	Heavy Dormant Oil	Petroleum Oil
1985	Surflan	Oryzalin
	Triforine	Triforine
	Heavy Dormant Oil	Petroleum Oil
	Diazinon	O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) Phosphorothioate
	Kocide 101 Copper	Copper Hydroxide
	Devrinol	Napropamide
	Montar	Sodium Cacodylate/Cacodylic Acid
	Round Up	Isopropylamine Salt of glyphosate
	Doo Spray	Dinitro (1-methyl heptyl)**phenyl crotomate
	Dacthal W-75	Dimethyl 2,3,5,6-tetrachloro-1,4-benzene-dicarboxylate; Chlorthal-dimethyl; DCPA; TCTP; Dimethyl tetrachloroterephthalate)
	Doo Spray	Dinitro (1-methyl heptyl)**phenyl crotomate
	Diquat	diquat dibromide
	Round Up	Isopropylamine Salt of glyphosate
	Kocide 101	Copper Hydroxide
1986	Aatrex Nine-O	Atrazine
	Devrinol 50WP	Napropamide
	Dacthal W-75	Dimethyl 2,3,5,6-tetrachloro-1,4-benzene-dicarboxylate; Chlorthal-dimethyl; DCPA; TCTP; Dimethyl tetrachloroterephthalate)
	Triforine	Triforine
	Surflan AS	Oryzalin
	Doo Spray	Dinitro (1-methyl heptyl)**phenyl crotomate
	Diquat	diquat dibromide
	Round Up	Isopropylamine Salt of glyphosate
	Kocide 101	Copper Hydroxide
1987	Funginex	Triforine
	Surflan AS	Oryzalin
	Diazinon 50W	O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) Phosphorothioate
	Diquat	diquat dibromide
	Kocide 101	Copper Hydroxide
	Round Up	Isopropylamine Salt of glyphosate
	Triforine	Triforine
	Dacthal W-75	Dimethyl 2,3,5,6-tetrachloro-1,4-benzene-dicarboxylate; Chlorthal-dimethyl; DCPA; TCTP; Dimethyl tetrachloroterephthalate)
1988	Devrinol 50WP	Napropamide
	Round Up	Isopropylamine Salt of glyphosate
	Malathion 50	Malathion

Year	Pesticide Name	Chemical Name
	Kerb 50WP	Promanide
		Calcium Lignosulfonate
	Pentac WP	Bis (Pentachloro – 2,4 – cyclopentadien, 1,yl)
	Diquat	diquat dibromide
	Aatrex Nine-O	Atrazine
	Dacthal W-75	Dimethyl 2,3,5,6-tetrachloro-1,4-benzene-dicarboxylate; Chlorthal-dimethyl; DCPA; TCTP; Dimethyl tetrachloroterephthalate)
1989	Mavrik	Tau-Fluvalinate
	Mavrik	Tau-Fluvalinate
	Dacthal W-75	Dimethyl 2,3,5,6-tetrachloro-1,4-benzene-dicarboxylate; Chlorthal-dimethyl; DCPA; TCTP; Dimethyl tetrachloroterephthalate)
	Diquat	diquat dibromide
	Vendex	Fenbutatin-Oxide [Hexakis (2-Methyl-2-Phenylpropyl) distannoxane]
	Round Up	Isopropylamine Salt of glyphosate
	Orthene	Acephate
	Funginex	Triforine
1990	Orthene	Acephate
	Mavrik Aquaflo	Tau-Fluvalinate
	Omite 30W	Propargite
	Funginex	Triforine
	Round up	Isopropylamine Salt of glyphosate
	Aatrex Nine-O	Atrazine
	Dimilin 25W	Difluron
	Ronstar 50WP	Oxadiazon
	Ronstar G	Oxadiazon
	Trimec	Dimethylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid Dimethylamine salt of 2,4-dichlorophenoxy acetic acid Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Malathion	Malathion
	Diazinon	O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) Phosphorothioate
	Turfion Ester	Triclopyr, butoxyethyl ester Kerosene
	Spreader X77	Alkylaryl polyoxyethylene ether
	Diquat	diquat dibromide
	Guthion	O,O-Dimethyl S-(4-oxo-1,2,3-benzotriazin-3(4H)-yl)methylphosphorodithioate
1991	Round Up	Isopropylamine Salt of glyphosate
	Orthene	Acephate
	Funginex	Triforine
	Aatrex Nine-O	Atrazine
	Diazinon	O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) Phosphorothioate
	Trimec	Dimethylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid Dimethylamine salt of 2,4-dichlorophenoxy acetic acid Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Ronstar-G	Oxadiazon
	Poast	Sethoxydim: 2-[1-(ethoxymino)butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one*
	Herbimax	Petroleum Hydrocarbons (Light Paraffinic Distillate, odorless aliphatic petroleum solvent)
	Diquat	diquat dibromide
	Spreader X77	Alkylaryl polyoxyethylene ether
	Malathion	Malathion
	Benlate	Benomyl (methyl 1-(butylcarbamoyl)-2-benzimidazolecarbamate)
1992	Ronstar-G	Oxadiazon
	Round up	Isopropylamine Salt of glyphosate
	Aatrex Nine-O	Atrazine
	Dacthal W-75	Dimethyl 2,3,5,6-tetrachloro-1,4-benzene-dicarboxylate; Chlorthal-dimethyl; DCPA; TCTP; Dimethyl
	Ronstar 50 WP	Oxadiazon
	Diquat	diquat dibromide
	Spreader X77	Alkylaryl polyoxyethylene ether
	26019 Fungicide	Iprodione
	Primo/Experimental	cimectacarb 4-(cyclopropyl-alpha-hydroxy-methylene)-3,5-dioxo-cyclohexanecarboxylic acid ethyl ester
	Citridal	Not found
	Daconil 2787 75WP	Chloroathalonil Kaolin
	Benlate	Benomyl (methyl 1-(butylcarbamoyl)-2-benzimidazolecarbamate)
	Surflan	Oryzalin
	Pre M 60 WDG	Pendimethalin
	Dimension 1E	Dithiopyr
	Promiadine 65 WDG	Experimental (Not found)
	Team 2g	Benfen Trifluralin
	Snapshot 2.5g	Trifluralin
		Isoxaben

Year	Pesticide Name	Chemical Name
	Balan 60 WDG	Benefin
	Treflan	Trifluralin
	Gallery 75DF	Isoxaben
	Betasan 4E	Bensulide
1993	Diazinon	O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) Phosphorothioate
	Round up	Isopropylamine Salt of glyphosate
	Omite 30W	Propargite
	XL 2G	Benefin
		Oryzalin
	Trimec	Dimethylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid)
		Dimethylamine salt of 2,4-dichlorophenoxy acetic acid
		Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Ronstar 50WP	Oxadiazon
	Pennant (L)	Metolachlor
	Surflan AS	Oryzalin
	Gallery 75F	Isoxaben
	Pendulum WDG	Pendimethalin
	Malathion	Malathion
	Treflan EC	Trifluralin
	Aatrex Nine-O	Atrazine
	Spreader X77	Alkylaryl polyoxyethylene ether
	Diquat	diquat dibromide
	Surflan	Oryzalin
	Ronstar G	Oxadiazon
	Diazinon	O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) Phosphorothioate
	Basamid	Dazomet
	Vapam	Sodium methylthiocarbamate (anhydrous)
	Weedar 64	2,4-d DMA Salt
	Acclaim 1E	Fenoxaprop-p-ethyl
	Turfion 4E	Triclopyr, butoxyethyl ester
	Bueno 6	Monosodium acid methanearsonate
	Benlate	Benomyl (methyl 1-(butylcarbamoyl)-2-benzimidazolecarbamate)
	Turfion Ester	Triclopyr, butoxyethyl ester
		Kerosene
1994	Round Up	Isopropylamine Salt of glyphosate
	Malathion	Malathion
	Diquat	diquat dibromide
	Spreader X77	Alkylaryl polyoxyethylene ether
	Avid	Abamectin
		N-methylpirrolidone
	Orthene	Acephate
	Turfion Ester	Triclopyr, butoxyethyl ester
		Kerosene
	Herbimax	Petroleum Hydrocarbons (Light Paraffinic Distillate, odorless aliphatic petroleum solvent)
	Surflan	Oryzalin
	Aatrex Nine-O	Atrazine
	Eagle	Myclobutanil
	Trimec	Dimethylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid)
		Dimethylamine salt of 2,4-dichlorophenoxy acetic acid
		Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Safer Soap	Potassium salts of fatty acids
	Funginex	Triforine
	Ronstar G	Oxadiazon
1995	Round Up	Isopropylamine Salt of glyphosate
	Malathion	Malathion
	Turfion Ester	Triclopyr, butoxyethyl ester
		Kerosene
	Reward	diquat dibromide
	Aatrex Nine-O	Atrazine
	Diazinon	O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) Phosphorothioate
	Diquat	diquat dibromide
	Trimec	Dimethylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid)
		Dimethylamine salt of 2,4-dichlorophenoxy acetic acid
		Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Atrimmec PGR	Dikegulac-sodium (Sodium salt of 2,3:4,6-bis-O-(1-methylethylidene)-a-L-xylo-2-hexulofuranosonic acid)
	Spreader X77	Alkylaryl polyoxyethylene ether
1996	Omite 30W	Propargite
	Reward	diquat dibromide
	Spreader X77	Alkylaryl polyoxyethylene ether
	Atrimmec PGR	Dikegulac-sodium (Sodium salt of 2,3:4,6-bis-O-(1-methylethylidene)-a-L-xylo-2-hexulofuranosonic acid)

Year	Pesticide Name	Chemical Name
	Trimec	Dimethylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid Dimethylamine salt of 2,4-dichlorophenoxy acetic acid Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Rally 40W	Myclobutanil Kaolin
	Stinger	Clpylarid, monoethanolamine salt
	Weedar 64	2,4-d DMA Salt
	Confront	Triclopyr as triethylamine salt Clpylarid, monoethanolamine salt
	Round up	Isopropylamine Salt of glyphosate
	Aatrex Nine-O	Atrazine
	Round Up Pro	Isopropylamine Salt of glyphosate
	Ace Lawn & Weedkiller	Dimethylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid Dimethylamine salt of 2,4-dichlorophenoxy acetic acid Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Bueno-6	Monosodium acid methanearsonate
	Turflon Ester	Triclopyr, butoxyethyl ester Kerosene
	Ronstar G	Oxadiazon
1997	Round Up Pro	Isopropylamine Salt of glyphosate
	Atrimmec	Dikegulac-sodium (Sodium salt of 2,3:4,6-bis-O-(1-methylethylidene)-a-L-xylo-2-hexulofuranosonic acid)
	Reward	diquat dibromide
	Banvel	Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Trimec	Dimethylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid Dimethylamine salt of 2,4-dichlorophenoxy acetic acid Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Gallery	Isoxaben
	Dimension	Dithiopyr
	Pre M	Pendimethalin
	Dacthal	Dimethyl 2,3,5,6-tetrachloro-1,4-benzene-dicarboxylate; Chlorthal-dimethyl; DCPA; TCTP; Dimethyl tetrachloroterephthalate)
	Manage	Halosulfuron-methyl Sillica, amorphous precipitated Kaolin
	Thiazopyr	Thiazopyr
	Dimension 1EC	Dithiopyr
	Rout	Oxyfluorfen
		Oryzalin
	Aatrex Nine-O	Atrazine
	Turflon Ester	Triclopyr, butoxyethyl ester Kerosene
	Basagran T/O	Sodium Bentazon
	Buctril	Bromoxynil octanoate 1,2,4 - Trimethylbenzene Xylene Ethylbenzene
	Liberty	Glufosinate - Ammonium
	Weedar 64	2,4-d DMA Salt
	Confront	Clpylarid, monoethanolamine salt Triclopyr as triethylamine salt
	Daconate 6	Monosodium acid methanearsonate
	Transline	Clpylarid, monoethanolamine salt
	Barricade	Prodiamine
	Spreader X77	Alkylarylpoloxyethylene ether
1998	Buctril	Bromoxynil octanoate 1,2,4 - Trimethylbenzene Xylene Ethylbenzene
	Round up Ultra	Isopropylamine Salt of glyphosate
	Ronstar G	Oxadiazon
	Lorox 50WP	Linuron
	Prowl 3.3 EC	Pendimethalin
	A-Maizing Lawn	Maize Gluten Meal
	Factor 65 WDG	Prodiamine
	Dimension IL	Dithiopyr
	Finale	Glufosinate - Ammonium
	Snapshot 2.5G	Trifluralin Isoxaben
	Visor 2E	Thiazopyr

Year	Pesticide Name	Chemical Name
		Xylene
		Ethylbenzene
	Abamectin	Abamectin
	Terpinoid cmpds (kairomones)	Experimental (Not found)
	Cinnamaldehyde	Beauveria Bassiana Strain GHA
	Hydrazine carboxylic acid	Experimental (Not found)
	Fenpropathrin	Fenpropathrin
		Naphtalene
	Oxazole	Experimental (Not found)
	Experimental	Experimental (Not found)
	Milbemectin	Experimental (Not found)
	Chloropyridazin	Pyridaben
	Hexythiazox	Hexythiazox
	Potassium Salts of fatty Acids	Potassium salts of fatty acids
	Round Up Pro	Isopropylamine Salt of glyphosate
	Round Up	Isopropylamine Salt of glyphosate
	Naphtalenedione	Experimental (Not found)
	Agrimek	Abamectin
		N-methylpirrolidone
	Aatrex 90	Atrazine
	Dual 8E	Metolachlor
	Dual Magnum	S-Metolachlor
	Banvel	Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Ronstar G	Oxadiazon
	Pendulum 2G	Pendimethalin
	Prowl	Pendimethalin
2001	Round Up Pro	Isopropylamine Salt of glyphosate
	Goal	Oxyfluorfen
	Buctril	Bromoxynil octanoate
		1,2,4 - Trimethylbenzene
		Xylene
		Ethylbenzene
	Aatrex Nine-O	Atrazine
	Prowl 3.3 EC	Pendimethalin
	Round Up Ultra	Isopropylamine Salt of glyphosate
	Up John Enide 50W	Not found
2002	Ronstar G	Oxadiazon
	Round Up Pro	Isopropylamine Salt of glyphosate
	Goal 2XL	Oxyfluorfen
		N-methylpirrolidone
		Naphtalene
	Round Up Ultra	Isopropylamine Salt of glyphosate
	Banvel	Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Aatrex 4L	Atrazine
	Dual Magnum	S-Metolachlor
	Sevin 5 Balt	Carbaryl

Year	Pesticide Name	Chemical Name
		Solvent Naphta, petroleum, heavy aromatic
	Frontier 6	Dimethanamid
	Quinclorac	Quinclorac
	Gallery 75DF	Isoxaben
	RegalStar	Oxadiazon
		Prodiamine
	RegalKade	Prodiamine
	Thiolux	Sulphur
	Kocide DF	Copper Hydroxide
	Trimec	Dimthylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid
		Dimethylamine salt of 2,4-dichlorophenoxy acetic acid
		Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Atrimmec	Dikegulac-sodium (Sodium salt of 2,3:4,6-bis-O-(1-methylethylidene)-a-L-xylo-2-hexulofuranosonic acid)
	Devrinol 50 DF	Napropamide
	Quadris	Azoxystrobin Technical
	Aatrex Nine-O	Atrazine
	Dual 8E	Metolachlor
	Prefar 4E	Bensulide
	Home Defense #2	Chlorpyrifos
	Round up Pro	Isopropylamine Salt of glyphosate
1999	Round Up Pro	Isopropylamine Salt of glyphosate
	Round Up	Isopropylamine Salt of glyphosate
	Round Up Ultra	Isopropylamine Salt of glyphosate
	Ronstar G	Oxadiazon
	Trimec	Dimthylamine salt of (MCP) 2-(2-methyl-4-chlorophenoxy propionic acid
		Dimethylamine salt of 2,4-dichlorophenoxy acetic acid
		Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Aatrex Nine-O	Atrazine
	Dual 8E	Metolachlor
	Atrimmec	Dikegulac-sodium (Sodium salt of 2,3:4,6-bis-O-(1-methylethylidene)-a-L-xylo-2-hexulofuranosonic acid)
	Turfion Ester	Triclopyr, butoxyethyl ester
		Kerosene
	Goal 1.6 E	Oxyfluorfen
	Devrinol 50DF	Napropamide
	Banvel	Dimethylamine salt of dicamba (3,6-dichloro-O-anisic acid)
	Subdue Max	Mefenoxam
	Methyl Bromide	Methyl Bromide
	Telone C35 EC	1,3 - Dichloropropene
		Chloropicrin
	Chloropicrin	Chloropicrin
	Vapam HL	Sodium methylidithiocarbamate (anhydrous)
	Carcentrazone	Carfentrazone-ethyl
		Sillica, amorphous precipitated
		Lignosulfate acid, sodium salt
	Sulfentrazone	Sulfentrazone
	Isoxaben	Isoxaben
	Confront	Clopylarid, monoethanolamine salt
		Triclopyr as triethylamine salt
	Turfion	Triclopyr, butoxyethyl ester
	Stinger	Clopylarid, monoethanolamine salt
	Fusilade II	Fluazifop - P - Butyl Technidal
		Naphtalene
		1,2,4 - Trimethylbenzene
	Azafenidin	Experimental (Not found)
	Flumioxazin	Experimental (Not found)
	Pendimethalin	Pendimethalin
	Isoxaben	Isoxaben
	Dithiopyr	Dithiopyr
	Dimethanamid	Dimethanamid
	Oxadiazon	Oxadiazon
	Trifluralin	Trifluralin
	Pendulum 2G	Pendimethalin
	Prowl	Pendimethalin
	Gramaxone	Paraquat Dichloride
	Spreader X77	Alkylarylpolyoxyethylene ether
2000	Round Up Ultra	Isopropylamine Salt of glyphosate
	Zeneca Paraquat	Paraquat Dichloride
	Buctril	Bromoxynil octanoate
		1,2,4 - Trimethylbenzene